



AMERLIGHT LED Product Catalog

MORE LIGHT LESS ENERGY LOWER COST

Why Choose Amerlight LED?

Why LED?

LED provides a dramatic reduction in energy cost while improving the intensity and quality of your lighting. Amerlight's certified products often allow for utility rebates providing maximum savings.

Made in the USA



Amerlight products are designed and manufactured in the Midwest. Committed to quality, Amerlight utilizes the latest LED technology to produce the brightest and most energy efficient lights in the industry.

The Amerlight Advantage



Our patented technology delivers superior light levels using less energy than any competing product.



Achieve 75% or more energy savings with project payback less than 24 months.



Short delivery lead time, quick ship pallet program, technical support, and photometric design assistance.



Our DLC Premium listed products save more energy and receive larger energy rebates for faster payback.

Certification

Our products are certified under Design Lights Consortium 4.1 (DLC), Underwriters Laboratory (UL), or Intertek (ETL)











TRUECOLORTM TECHNOLOGY CRI, COLOR RENDERING INDEX

Amerlight luminaires produce a best in class 91+ CRI (Color Rendering Index) to better represent actual daylight and allow for a true color



OUTDOOR AF SERIES





The Amerlight AF Series

The AF Series Pole Light will bring

- Incredible TrueColor™ CRI Technology
- Provide watt for watt the highest foot candles available in the market
- Replace 1000 watt metal halide with 250 watts
- Optics for perfect light placement

	AF Pole Light Series	
	AF300	
0	300 Watts Replaces 1000W MH	90V - 277V 480V Optional
- <u>;</u> ċ-	40,000 Lumens	132 Lumens per Watt
Ø	5,000 - 5,500K CCT SMD	83-91+ CRI
KX	23" x 17" x 3"	26 Lbs 11.7 kg
©	Optics Type 3S AFL / 3L (120')	Five Year Warranty



	AF Pole Light Series	
	AF250	
0	240 Watts Replaces 1000W MH	90V - 277V 480V Optional
- <u>;</u> ċ;-	30,300 Lumens	126 Lumens per Watt
Ø	5,000 - 5,500K CCT COB	70-91+ CRI
K N	22.5" x 11.8" x 2.5"	20 Lbs 9.1 kg
©	Pure Lumen Type 5	Five Year Warranty



	AF Pole Light Series	
	AF120	Service Control of the Control of th
0	120 Watts Replaces 400W MH	90V - 277V 480V Optional
- <u>;</u> ċ;-	15,900 Lumens	132 Lumens per Watt
0	5,000 - 5,500K CCT SMD	70 - 91+ CRI
K N	18" x 17" x 3"	20 Lbs 9.1 kg
©	Optics Type 3	Five Year Warranty





	AD Pole Light Series	
	AD100	
0	100 Watts Replaces 400W MH	90V - 277V 480V Optional
<u>-;</u> ċ;-	13,500 Lumens	134 Lumens per Watt
Ø	5,000 - 5,500K CCT COB	70-91+ CRI
KY	20.1" x 9.9" x 2.3"	18 Lbs 8.2 kg
©	50,000 Hours	Five Year Warranty



Color Options

Standard



White

Dark Whi Bronze

Mounting Options

Square or Round Pole Straight Arm Bracket

Slip Fitter with optional 9" Extension

DLC



Pole Options

15' Height 8-10" bolt pattern 11 gauge 20' Height 8-10" bolt pattern 11 gauge



Dark White Bronze



Pole Configurations

Interior Dual

Dual head can be mounted 90° or paddle configuration



Interior Triple

Triple head common for front line or end cap configuration



Interior Quad

Quadruple head for interior lot applications with high light levels



9 Inch Pole Bracket

Optional 9" bracket can be used to extend fixture away from pole







INDOOR LN LINEAR SERIES





The Amerlight LN Series

The LN Linear High Bay Series will bring your Dealership

- Color enhancing light allowing customers to see the TrueColor™ of your cars.
- Replace fluorescent office lights with LED for extra energy benefits
- Brightly Illuminated workspaces and showrooms
- Equipped with standard 120° Beam Angle.
- Optional 60° for very high mounting heights.

	LN Linear Series	0	
	LN320		
0	320 Watts Replaces 1000W MH	90V - 277V 480V Optional	
<u>-;</u> ċ;-	35,000 Lumens	110 Lumens per Watt	
Ø	5,000 - 5,500K CCT	84+ CRI	
K N	4' x 16.7" x 4.5"	26 Lbs 11.8 kg	
©	50,000 Hours	Five Year Warranty	



	LN Linear Series	
	LN240	
0	240 Watts Replaces 324W T5	90V - 277V 480V Optional
- ;¢ -	34,400 Lumens	142 Lumens per Watt
Ø	5,000 - 5,500K CCT	84+ CRI
K N	43.1" x 14.1" x 2.3"	10.5 Lbs 4.8 kg
©	50,000 Hours	Five Year Warranty



	LN Linear Series	
	LN150	
0	150 Watts Replaces 216W T5	90V - 277V 480V Optional
- <u>;</u> ċ;-	21,700 Lumens	142 Lumens per Watt
Ø	5,000 - 5,500K CCT	84+ CRI
KN	21.9" x 14.1" x 2.3"	7.1 Lbs 3.2 kg
©	50,000 Hours	Five Year Warranty



LN SERIES INFORMATION



Certification







Color Options



LN150 and LN240 Mounting Options









LN240 Configuration

Standard S/O Cord with Cable Grip Connector. Motion Sensor Optional.

LN150 Configuration

Standard S/O Cord with Cable Grip Connector. Motion Sensor Optional.

LN240 LN150 Installation

Flexible 12' Aircraft Hangar Wire with easy snap seismic clips.

LN320 Mounting Options







LN320 Configuration

Standard 6' S/O Cord with Cable Grip Connector. Motion Sensor Optional.

LN320 Installation

Industrial Grade Die Cast with 12' Aircraft Hangar Wire with easy snap seismic clips.

LN320 Light Distribution

Standard 120° light distribution with optional 60° lens available for higher heights.

How to Achieve Required Light Level

30 Foot Candles Warehouse and Storage			
30' Candles	LN150	LN240	LN320
15' height	25' centers	25' centers	N/A
20' height	25' centers	25' centers	30' centers
25' height	20' centers	25' centers	30' centers
30' height	N/A	20' centers	25' centers

60 Foot Candles Service and Manufacturing			
60' Candles	LN150	LN240	LN320
15' height	25' centers	18' centers	N/A
20' height	15' centers	15' centers	20' centers
25' height	10' centers	10' centers	18' centers
30' height	N/A	N/A	14' centers



AMERLIGHT 2800 Lynch Road

Evansville, IN 47711 (844) 658-8604

amerlight.com



High Performance LED Lighting Solutions

Designed and Assembled in the USA

